



ELSEVIER

Artificial Intelligence 140 (2002) 253–254

**Artificial
Intelligence**

www.elsevier.com/locate/artint

Author Index—Volume 140 (2002)

Bacchus, F., X. Chen, P. van Beek and T. Walsh	
Binary vs. non-binary constraints	1– 37
Bettini, C., X.S. Wang and S. Jajodia	
Solving multi-granularity temporal constraint networks	107–152
Broxvall, M., P. Jonsson and J. Renz	
Disjunctions, independence, refinements	153–173
Chen, X., see Bacchus, F.	1– 37
Forman, S., see Segre, A.M.	71–106
He, J. and X. Yao	
Erratum to: Drift analysis and average time complexity of evolutionary algorithms [Artificial Intelligence 127 (2001) 57–85] (Corrigendum)	245–248
Jajodia, S., see Bettini, C.	107–152
Jonsson, P., see Broxvall, M.	153–173
Lin, F. and J.-H. You	
Abduction in logic programming: A new definition and an abductive procedure based on rewriting	175–205
Marin, R., see Navarrete, I.	39– 70
Navarrete, I., A. Sattar, R. Wetprasit and R. Marin	
On point-duration networks for temporal reasoning	39– 70
Parsons, S., see Renooij, S.	207–230
Renooij, S., L.C. van der Gaag and S. Parsons	
Context-specific sign-propagation in qualitative probabilistic networks	207–230
Renz, J., see Broxvall, M.	153–173
Resta, G., see Segre, A.M.	71–106
Sattar, A., see Navarrete, I.	39– 70
Segre, A.M., S. Forman, G. Resta and A. Wildenberg	
Nagging: A scalable fault-tolerant paradigm for distributed search	71–106
Tennenholtz, M.	
Tractable combinatorial auctions and b-matching (Research Note)	231–243
van Beek, P., see Bacchus, F.	1– 37
van der Gaag, L.C., see Renooij, S.	207–230
Walsh, T., see Bacchus, F.	1– 37
Wang, X.S., see Bettini, C.	107–152

Wetprasit, R., see Navarrete, I.	39–70
Wildenberg, A., see Segre, A.M.	71–106
Yao, X., see He, J.	245–248
You, J.-H., see Lin, F.	175–205

